



COSHH RISK ASSESSMENT RECORD

MATERIAL SAFETY DATA SHEETS FOR ALL SUBSTANCES USED ARE LOCATED AT M W CRIPWELL HEAD OFFICE.

PRODUCT NAME	Treflex cutting compound																										
MANUFACTURER	Spencer Coatings Ltd	PRODUCT CODE	06PTREF																								
Manufacturer Contact Number	01224 788400	CAS Ref .	64-17-5																								
LOCATION(S) OF USE	Mansfield Community Hospital OPD and Holbeck wards	DESCRIPTION	Cutting compound for threading galvanised Steel conduit																								
MSDS HELD	YES	DATE of MSDS																									
	HAZARD CLASSIFICATION (Tick as appropriate) <table style="width: 100%; margin-top: 10px;"> <tr> <td style="width: 33%;">Irritant</td> <td style="width: 33%; text-align: center;"><input type="checkbox"/></td> <td style="width: 33%;">Corrosive</td> <td style="width: 33%; text-align: center;"><input type="checkbox"/></td> <td style="width: 33%;">None significant</td> <td style="width: 33%; text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Toxic</td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Very Toxic</td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Harmful</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Flammable</td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Explosive</td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Dangerous to the Environment</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Oxidising</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table>			Irritant	<input type="checkbox"/>	Corrosive	<input type="checkbox"/>	None significant	<input checked="" type="checkbox"/>	Toxic	<input type="checkbox"/>	Very Toxic	<input type="checkbox"/>	Harmful	<input type="checkbox"/>	Flammable	<input type="checkbox"/>	Explosive	<input type="checkbox"/>	Dangerous to the Environment	<input type="checkbox"/>					Oxidising	<input type="checkbox"/>
Irritant	<input type="checkbox"/>	Corrosive	<input type="checkbox"/>	None significant	<input checked="" type="checkbox"/>																						
Toxic	<input type="checkbox"/>	Very Toxic	<input type="checkbox"/>	Harmful	<input type="checkbox"/>																						
Flammable	<input type="checkbox"/>	Explosive	<input type="checkbox"/>	Dangerous to the Environment	<input type="checkbox"/>																						
				Oxidising	<input type="checkbox"/>																						
	HOW IS IT USED ? (Describe the process, quantities used, maximum temperatures reached, exposure periods) Treflex is applied to the conduit before a threading die is introduced to provide a threaded end to the conduit. Excessive heat should be avoided,																										
	ARE ANY HAZARDOUS SUBSTANCES PRODUCED BY ANY PROCESS (eg fumes from heating a substance) Toxic fumes may be produced in event of combustion																										
	WHO MIGHT IT EFFECT ? (Consider not only those using it, but also visitors, those working near by etc) M W C employees and persons in the immediate vicinity																										
	WHAT CONTROLS ARE CURRENTLY IN PLACE ? <table style="width: 100%; margin-top: 10px;"> <tr> <td style="width: 33%;">Total enclosure of process</td> <td style="width: 33%; text-align: center;"><input type="checkbox"/></td> <td style="width: 33%;">Partial enclosure of process</td> <td style="width: 33%; text-align: center;"><input type="checkbox"/></td> <td style="width: 33%;">General workplace ventilation</td> <td style="width: 33%; text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Wet methods (to control dust)</td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Respiratory Protection</td> <td style="text-align: center;"><input type="checkbox"/></td> <td>Eye Protection</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Gloves</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td>Protective Overalls</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> <td>Other Please specify</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table>			Total enclosure of process	<input type="checkbox"/>	Partial enclosure of process	<input type="checkbox"/>	General workplace ventilation	<input checked="" type="checkbox"/>	Wet methods (to control dust)	<input type="checkbox"/>	Respiratory Protection	<input type="checkbox"/>	Eye Protection	<input checked="" type="checkbox"/>	Gloves	<input checked="" type="checkbox"/>	Protective Overalls	<input checked="" type="checkbox"/>	Other Please specify	<input type="checkbox"/>						
Total enclosure of process	<input type="checkbox"/>	Partial enclosure of process	<input type="checkbox"/>	General workplace ventilation	<input checked="" type="checkbox"/>																						
Wet methods (to control dust)	<input type="checkbox"/>	Respiratory Protection	<input type="checkbox"/>	Eye Protection	<input checked="" type="checkbox"/>																						
Gloves	<input checked="" type="checkbox"/>	Protective Overalls	<input checked="" type="checkbox"/>	Other Please specify	<input type="checkbox"/>																						
	GENERAL PRECAUTIONS & PERSONAL PROTECTION NEEDED (Consider warning signs, ventilation, work patterns, personal hygiene / cleanliness, protective clothing) Mopping material preferably fabric should be used to remove excess product.																										

